Online patient feedback: a scoping review and stakeholder consultation

Anne-Marie Boylan, Veronika Williams & John Powell

Abstract

Objective: To provide a synthesis of the current evidence base of online patient feedback using a

scoping review and a consultation of stakeholders in England, UK.

Methods: We searched MEDLINE, EMBASE, PsycINFO, CINAHL and the Social Science Citation Index

and conducted hand searches up to January 2018. We included primary studies of internet-based

reviews and other online feedback (e.g. from social media and blogs), from patients, carers or the

public, about health care providers (individuals, services or organisations). Key findings were

extracted and tabulated for further synthesis guided by the themes arising from a stakeholder

consultation.

Results: The review found that awareness and usage of online feedback is increasing. Most feedback

is about physicians, and is typically positive. Online reviews and ratings are used by some service

users to inform choice of provider or treatment while providers tend to be concerned about the

validity and representativeness of feedback. Reviewed studies found that those who post feedback

are generally not representative of the general population, tending to be younger and more

educated, but online feedback does broadly correlate with some other measures of health care

quality.

Conclusion: In an increasingly digital society, where citizens provide and use feedback for a range of

goods and services, online patient feedback can offer a convenient, low cost, and widely accessible

mechanism to capture experiences of health care, while obviously being mindful to avoid issues of

digital exclusion. This review provides important insights to inform policy development seeking to

harness the opportunities offered by online feedback.

Funding

1

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: The research was conducted as part of the National Institute for Health Research Services and Delivery Research Programme funded project 'Improving NHS Quality Using Internet Ratings and Expeirences'. AMB and JP were also supported by the NIHR Collaboration for Leadership in Applied Health Research and Care at Oxford Health NHS Foundation Trust (NIHR CLAHRC Oxford). The views expressed in this research are those of the authors and not necessarily those of the NHS, the NIHR or the Department of Health.

Background

Patient experience and satisfaction data are routinely collected by health services in many countries to ensure the delivery of patient-centred care; to monitor patient safety; to improve quality in service delivery and care; and/or to aid patients in choosing services or providers.

Incorporating patient experience data into the monitoring and delivery of health care is associated with a range of potential benefits,¹ including increased patient-centeredness, satisfaction, quality improvement and cost-effectiveness.

Increasingly, patient feedback is being collected online, mirroring common practices in other industries. Previous reviews of the evidence in this emerging field showed that the use of rating sites online is increasing, that they have the potential to provide information about patients' views on quality of care and that their value to policymakers should be explored.^{2, 3}

Online patient feedback offers an opportunity for collecting experience, satisfaction and improvement data in addition to the more traditional approach that uses paper-based or digitised experience or satisfaction surveys. Providing multiple and inclusive avenues for feedback is important. The internet offers advantages to patients and providers in that it is convenient, low-cost, accessible to most, immediate and transparent. In England, the Care Quality Commission, the independent regulator of all health and social care services, invited websites that collect patient feedback to share it as 'a vital part of its monitoring inspection activities'. However, the health care sector in general has been slow to adopt this practice routinely in the way other industries have, and guidance on the collection and implementation of online patient feedback is scant. This scoping study brings together existing research in this area, alongside views of key stakeholders. It aims to provide a state-of-the-art snapshot of this emerging field to inform policy and practice and to set the agenda for future research. Stakeholders consulted for this work were based in England so their views are pertinent to the English NHS. However, the review itself covers the international evidence.

Method

We used a scoping review as the topic was broad and we aimed to include studies of multiple designs, following Arksey and O'Malley.⁶ We defined online patient feedback as qualitative (e.g. narrative) or quantitative (e.g. star/numeric ratings) information in any format which describe the experience of using a health service by a patient or carer in an online setting, whether solicited or unsolicited.

Search strategy

MEDLINE, EMBASE, PsycINFO, CINAHL and the Social Science Citation Index were searched in January 2017 using a list of terms likely to retrieve articles about online patient feedback compiled in consultation with an information specialist. The search was updated in 2018 (see Online Supplement for the detailed search strategy).

Inclusion criteria

Original primary research on online feedback (provider reviews, ratings and other online feedback, e.g. on social media/blogs) from patients, carers or the public about health care providers (individuals/organisations) and published 2000-2018, from any discipline or design.

Screening and data extraction

Titles and abstracts and then full-texts were screened independently by two reviewers.

Disagreements were resolved with a third reviewer. Selected full-text articles were randomly assigned to either of two reviewers and data on authors, publication date, study aims, sample, methods and findings were extracted and tabulated.

Analysis

Included studies were thematically grouped by aim for further analysis. Findings were synthesised using a narrative approach including individual analysis and discussion within the research team,

guided by the themes that arose from the stakeholder consultation (see below). Formal critical appraisal was not conducted due to the broad and inclusive nature of this review and the variation in study designs.

Stakeholder consultation

We approached organisations with experience of (collecting or using) online feedback, including feedback companies in the health and retail sectors, national health policymakers, regulators of health services, senior clinicians working in the area of patient experience, and patient experience managers from NHS organisations, as well as service users with experience of reading and providing feedback, who were known to the research team through Patient and Public Involvement work (service-user as used here includes patients, family, carers, and those who use services but are not ill, e.g. pregnant women). Potential participants were invited by email to take part in the consultation; the email also explained the practicalities of participating and what topics would be covered. All invited stakeholders accepted the invitation; some participants were already known to the project team and had previously expressed interest. The consultation sought to inform the questions being asked in the literature review and therefore did not require formal ethics approval. Each stakeholder was consulted by the lead author (AMB) about their views, key concerns and future priorities, either in-person or by telephone using a broad interview schedule and conversations typically lasted 60-90 minutes. Topics included how online feedback was defined, how feedback is collected and used in commercial and health settings, what feedback is for and how and why is it collected, used and analysed in the NHS, the usefulness of numeric and narrative data, and inclusion and diversity. Notes were taken and analysed inductively by the research team.

Results

The literature searches yielded a total of 28,613 records; the total number of included studies was 78, of which 12 were identified through hand-searching (Figure 1). A table summarising the included papers can be found in Appendix 1. The majority of included studies were conducted in the USA,

followed by the UK and Germany, with a smaller number of studies from China, the Netherlands, Canada and Austria.

[Figure 1 about here]

The analysis of the stakeholder consultation identified six overarching evidence gaps that would need to be addressed to help policymakers navigate the online patient feedback landscape (see also Box 1 for more detail on the stakeholders' views): Who provides and who uses feedback? How do organisations currently use feedback? What is the content of online feedback? Why is online feedback given? What are staff and services user attitudes towards online feedback? How reliable is online feedback? We address each of these evidence gaps raised by the stakeholders in turn using the literature found in the scoping review.

[Box 1 about here]

Who provides and who uses online feedback?

The review found that awareness of rating sites varies, that providing an online review is a minority activity, and that frequency of use has increased over time. A public survey in Germany noted that 32% of respondents were aware of rating and review sites. Awareness of such sites tends to be lower than for those for consumer goods, with a representative survey of the US population finding that respondents considered such sites less important than other sources of information (e.g. recommendations of friends and family). The frequency of posting a rating varied across included studies. One survey of an online panel in Germany found that 11% of respondents had posted feedback online while a survey of a representative sample of the population in the UK reported that 8% of respondents had done so¹⁰, with studies from the USA and Austria reporting figures of around 6%. 11 12 Women were found to be more likely to post online feedback. 13, 14

The survey of the UK population mentioned above found that 42% of respondents reported reading online health reviews; it also noted that the only significant association with providing feedback was

being a more frequent internet user.¹⁰ One nationally representative survey in the USA found parents to be frequent users; they would use review sites to choose doctors for their children.¹¹ Other users are likely to be younger people, with higher levels of education¹⁴, and those with a long-term condition.^{14, 15} One small survey of adults in London, UK, found that being of the same gender as their general practitioner (GP), feeling listened to and perceiving the relationship with their GP as friendly seem to be potential predictors of use of rating sites, whereas willingness to use such sites was predicted by patients' autonomy in health care decisions.¹⁶Having clear explanations from a GP meant patients were less likely to use such sites.

How do organisations currently use feedback?

The scoping review did not identify studies that considered the role or function of online patient feedback, or uncovered the practices and processes governing its use in health care organisations.

One study in Germany found that physicians have begun to respond to online reviews¹⁷, and a survey of providers by the same authors reported that ophthalmologists and gynaecologists were the most likely to implement change based on online experiences.¹⁸ One Dutch study highlighted the potential value of online feedback for regulatory supervision although the health care inspectors interviewed expressed reservations about online patient feedback.¹⁹ An analysis of different forms of online feedback in the Netherlands further noted that structured patient feedback websites contained more relevant additional information than social media sites (e.g. Facebook, Twitter) and the authors ²⁰ argued for the use of the former by health care inspectors because dedicated patient feedback websites were seen as providing 'on the ground' or 'bottom-up' quality monitoring by patients.

What is the content of online feedback?

Characteristics of feedback

The literature consistently showed that the majority of feedback was positive and ratings for health care providers were generally high^{13, 21-23}; service user reviews often recommend the health service to others.^{22, 24} An analysis of ratings of dentists on a German physician rating website found that female or older patients and those who had private health insurance were more likely to give positive feedback, but the reason for this was unclear.²¹ Patients who had a long-standing relationship with their doctor were also more likely to provide positive feedback.²⁵

Online feedback is usually relatively succinct. A sentiment analysis (an automated process of identifying, quantifying and studying information in text that is often used to analyse consumer reviews) of 33,654 reviews of 12,898 medical practitioners in the New York State area noted that they contained on average 4.17 sentences per review and 15.5% contained only one line.²⁶ An analysis of narrative comments posted on a German physician rating website reported that longer narratives were more likely to be negative.¹³

Patient feedback was usually positive but reviews also highlighted negative aspects of the care experience.²⁸ The feedback in the included studies largely pertained to services or providers, clinical and administrative staff, and the physical environment. The content of feedback often related specifically to physicians and focused on perceived knowledge and competency^{29, 30}, patient-centred communication^{29, 30}, personal character traits^{25, 30, 31}, professional conduct³⁰, dignified care²² and coordination of care.²⁵ Waiting times and length of appointments were also discussed^{22, 31, 32}, with other themes including cleanliness^{22, 33}, scheduling appointments³³, insurance³², access²⁵, administrative staff^{25, 32} and parking.³⁴ Studies did not report patients commenting on medical or clinical aspects of their care. However, one study noted that including reviews from family members increased the amount of patient safety information contained therein.²⁷

Who is reviewed?

Analyses of physician rating sites in Germany found that male physicians were more likely to be reviewed than females, with female physicians more likely to receive positive feedback than their

male colleagues.^{9, 21} Online feedback typically concerns physicians; feedback on nurses and allied health professionals appears to be neglected in the current literature.

Some specialities (e.g. otolaryngology) appear to be under-represented on rating sites and some sub-specialities received a higher number of reviews than others.²³ Surgeons in the US appear to be among the most frequently rated health professionals with one study showing that 97% in California had been rated on at least one patient feedback website.³⁵

Why is online feedback given and how is it used?

Included studies reported that people use online feedback sites to post reviews or ratings or consult them to aid choosing a doctor or other health professionals, e.g. dentist.^{7,8,11,12,15} In a national representative US survey, 28% of respondents had used such websites to search for a physician¹¹, while in an online panel survey in German survey 25% of respondents had done so.⁷ That study also found that 65% of its 1505 respondents had chosen a doctor informed by the website rating while 52% did not consult a specific doctor based on online ratings. A cross-sectional survey of a representative sample of the UK population showed that most people provide feedback to help other patients and to express positive experiences (praise), and that they read it to find out about tests or treatments and to help choose a treatment or provider.¹⁰

There has been little qualitative work exploring the motivations to post (and read) online reviews. In a qualitative study of patients' views on giving online feedback and ratings to general practitioners (GPs) in England, study participants did not consider feedback necessary and questioned whether GPs would use it. They noted that they would only do so if they had an extremely positive or extremely negative experience.³⁶ The study also reported that some participants would provide online feedback because this could be done remotely, that feedback can be shared with others and because they believed it would be taken seriously by GPs. Others however raised issues of accessibility, were concerned about privacy and security, and thought online feedback might be ignored. Similarly, a cross-sectional survey of people who had used physician rating websites in

Germany found that having had a very positive or negative experience would motivate them to post feedback whereas concerns such as possible negative consequences, technical issues or concerns about site operators would stop them from doing so.³⁷

A nationally representative survey of the US population reported that of those who had used rating sites in the preceding year, 35% said that good ratings had helped them select a physician while roughly the same proportion (37%) said that poor ratings led them to not consult the physician in question. An experimental study of 500 adults recruited through a crowdsourcing website who were presented with a hypothetical review of a physician (without any other information about quality or performance), showed that predominantly negative reviews reduced the willingness of participants to consult the physician; willingness was also lower when negative reviews were presented before positive reviews.

The perceived trustworthiness, credibility and expertise of the reviewer, and the content of the review were also found to be important to patients reading feedback. For example, a randomized experiment with 168 adults found that respondents preferred fact-oriented content over emotional feedback (i.e. containing slang or humour). An online survey of a random sample of patients in Germany noted that prior use of a rating site increased the likelihood of rating a health care experience in the future 4, while a similar survey in the USA reported that patients are likely to spend more time on sites that contain patient comments but that this reduced their attention to other standardised measures of quality, increasing the potential for making ill-informed choices . 39

What are health professionals and services user attitudes towards online feedback?

Health professionals described a range of reservations about online feedback, while patients' attitudes were more mixed. For example, a qualitative interview study with GPs in England highlighted several concerns, including issues of validity and representativeness. ⁴⁰ A survey by the American College of Physicians Executive survey reported that only 12% of the 730 physicians who responded thought online rating websites were useful and 39% agreed with the ratings they had

received. ⁴¹ In a survey of hand surgeons in the USA 65% of respondents reported holding negative views of online physician rating websites and 82% felt that the contents was not useful for their practice. ⁴²

How reliable is online feedback?

Studies in England, Germany and the USA reported that online ratings and free-text reviews were correlated with established measures of patient feedback derived from more traditional patient satisfaction or experience surveys.^{24, 26, 44-46} For example, one analysis of aggregate website visitor ratings (1-5 stars) on Yelp.com and patient experience as assessed through the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey in the USA found these to be positively correlated (r=0.49, p<0.001).⁴⁴ Likewise, an analysis of patient web-based ratings of all acute hospitals in England found a statistically significant positive correlation between the number of patients willing to "recommend the hospital to a friend" with a hospital's overall rating of patient experience (Spearman p=0.41, p<0.001).⁴⁷ A related study also found signifiant correlations for positive recommendations online with lower hospital standardized mortality ratios (Spearman p=-0.20, p=0.01) and lower readmission rates (p=-0.31, p<0.001), and better ratings of hospital cleanliness were associated with lower rates of health care associated infections.²⁴ Other domains such as being treated with respect and dignity, involvement in decisions about care and staff working well together were also found to be significantly associated.⁴⁶ Evidence from the USA highlights that online feedback could usefully complement existing measures of patient experience using traditional survey methodology^{44, 48}, although additional content tends to pertain more to some services than others.²⁶

Discussion

This scoping study explored the uses and usefulness of online patient feedback, highlighting the potential of such feedback to influence service inspection, quality, inform patient choice of provider and health policy more broadly. Our review found that awareness and usage is increasing; that most

feedback is about physicians, and typically positive; that reviews and ratings are used by some service users to inform choice of provider or treatment; and that providers have reservations about the validity and representativeness of feedback. Included studies found that those who post feedback are generally not representative of the general population, tending to be younger and more educated, but online feedback does broadly correlate with some other measures of health care quality. Our review complements and expands two previous reviews that also reported a relationship between health care quality and online feedback, and called for more research to be done in this emergent area.^{2, 3} It is important to note that the included literature comes from a range of settings where approaches to service user feedback and the options for exercising choice of provider vary.

Online patient feedback can be seen as having functions of 'choice' and 'voice'. Adams argued that the 'voice' function of online feedback provides an opportunity for 'sousveillance' or bottom-up monitoring and is an important tool for gathering insight to guide or inform inspections. ⁴⁹ The internet may well be perceived to provide a 'safe space' where patients can safely and without fear of repercussion or retribution, speak honestly about their care. However, this is contradicted by studies outlined above that suggest patients fear the repercussions of providing online feedback.

Like with other forms of feedback, patients may not be motivated to help others' choose, but to help health care providers identify the positive and negative aspects of their care provision and drive improvements. Several studies looked at the usefulness of online feedback websites in uncovering patient safety issues. ⁵⁰ Consequently, conceptualising and promoting them as sources of intelligence useful for monitoring might provide service users with a further reason to contribute. However, little is known about the motivations of those who post and available research on public and provider attitudes to online feedback is limited. ^{40, 42}

Only a small number of studies included in this review considered the potential harms of online patient feedback; these were small-scale qualitative interview studies with patients and general

practitioners that voiced their concerns rather than exploring actual harms (direct or indirect).^{36, 40} We speculate that the harms for providers might be associated with reputation, demoralisation and risks to confidentiality by responding to feedback online. For service users, reading online reviews might induce or increase anxiety or distort reality where feedback is extreme (highly positive or highly negative). Narratives offer the opportunity to organise and make sense of their experiences, but they can also wield undue influence and may cause harm if, for instance, a small number of 'unrepresentative' stories are seen as hard and fast evidence.¹

At the same time, 'unrepresentative stories', that is, unusual single stories, outliers or discrepant feedback, might provide valuable lessons for service delivery and improvement as 'signals' that point towards problems amidst the general noise of feedback. A challenge for decision makers is ensuring that these single stories are not overlooked or dismissed, but instead used to inform improvement.

We identified several gaps in the literature. Studies have tended to focus on feedback on physicians or surgeons but and there was little evidence of feedback on other health care workers, such as nurses. We also did not identify studies that looked at the practices and processes of using online feedback to improve health care. Equally, while there is some evidence pointing to a reasonably strong link between established measures of patient satisfaction and online feedback, the evidence of a relationship with indicators of clinical quality remains less well established and warrants further explortation. Finally, none of the reviewed studies considered the potential for patient feedback to be manipulated.

This study has several limitations. The stakeholder consultation was carried out within the English context and as such reflects a limited perspective. At the same time, the consultation provided an additional layer of insight that helped shape and strengthen the review. In line with the scoping review method, we did not appraise the quality of any of the included studies meaning that this scoping review can only describe what has been reported. Finally, it is possible that some studies are

omitted from this review; despite our attempts to be as comprehensive as possible we may have omitted important keywords in the search or missed relevant articles when hand-searching.

Conclusion

Ensuring patient-centred care that is be responsive to the needs of service users, patients' experiences must be included in designing, evaluating and monitoring services, and determining quality. In an increasingly digital society, where citizens provide and use feedback for a range of goods and services, online patient feedback can offer a convenient, low cost, and widely accessible mechanism to capture experiences of health care, while obviously being mindful to avoid issues of digital exclusion. This review provides important insights to inform policy development seeking to harness the opportunities offered by online feedback.

References

- 1. Ziebland S and Wyke S. Health and Illness in a Connected World: How Might Sharing Experiences on the Internet Affect People's Health? *Milbank Quarterly* 2012; 90: 219-249. DOI: 10.1111/j.1468-0009.2012.00662.x.
- 2. Verhoef LM, Van de Belt TH, Engelen LJ, et al. Social media rating sites as tools to understanding quaility of care: A scoping review. *Journal of Medical Internet Research* 2014; 16: 252-261.
- 3. Emmert M, Sander U and Pisch F. Eight questions about physician-rating websites: a systematic review. *Journal of Medical Internet Research* 2013; 15: e24. Review.
- 4. O'Connor P. User-Generated Content and Travel: A Case Study on Tripadvisor.Com. In: O'Connor P, Höpken W and Gretzel U (eds) *Information and Communication Technologies in Tourism 2008: Proceedings of the International Conference in Innsbruck, Austria, 2008.* Vienna: Springer Vienna, 2008, pp.47-58.
- 5. Jurca R and Faltings B. Mechanisms for making crowds truthful. *J Artif Int Res* 2009; 34: 209-253.
- 6. Arksey H and O'Malley L. Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology* 2005; 8: 19-32. DOI: 10.1080/1364557032000119616.
- 7. Emmert M, Meier F, Pisch F, et al. Physician choice making and characteristics associated with using physician-rating websites: cross-sectional study. *J Med Internet Res* 2013; 15: e187. Research Support, Non-U.S. Gov't.
- 8. Hanauer DA, Zheng K, Singer DC, et al. Public awareness, perception, and use of online physician rating sites. *JAMA* 2014; 311: 734-735. Research Support, Non-U.S. Gov't.
- 9. Emmert M and Meier F. An analysis of online evaluations on a physician rating website: evidence from a German public reporting instrument. *J Med Internet Res* 2013; 15: e157.
- 10. van Velthoven MH, Atherton H and Powell J. A cross sectional survey of the UK public to understand use of online ratings and reviews of health services. *Patient Education and Counseling* 2018. DOI: https://doi.org/10.1016/j.pec.2018.04.001.
- 11. Hanauer DA, Zheng K, Singer DC, et al. Parental awareness and use of online physician rating sites. *Pediatrics* 2014; 134: e966-975. Randomized Controlled Trial Research Support, Non-U.S. Gov't.
- 12. Grabner-Krauter S and Waiguny MK. Insights into the impact of online physician reviews on patients' decision making: randomized experiment. *J Med Internet Res* 2015; 17: e93.
- 13. Emmert M, Meier F, Heider A-K, et al. What do patients say about their physicians? an analysis of 3000 narrative comments posted on a German physician rating website. *Health Policy* 2014; 118: 66-73.
- 14. Terlutter R, Bidmon S and Rottl J. Who uses physician-rating websites? Differences in sociodemographic variables, psychographic variables, and health status of users and nonusers of physician-rating websites. *J Med Internet Res* 2014; 16: e97.
- 15. Thackeray R, Crookston BT and West JH. Correlates of health-related social media use among adults. *J Med Internet Res* 2013; 15: e21.
- 16. Galizzi MM, Miraldo M, Stavropoulou C, et al. Who is more likely to use doctor-rating websites, and why? A cross-sectional study in London. *BMJ Open* 2012; 2.
- 17. Emmert M, Sauter L, Jablonski L, et al. Do Physicians Respond to Web-Based Patient Ratings? An Analysis of Physicians' Responses to More Than One Million Web-Based Ratings Over a Six-Year Period. *J Med Internet Res* 2017; 19: e275. Original Paper 26.07.2017. DOI: 10.2196/jmir.7538.
- 18. Emmert M, Meszmer N and Sander U. Do Health Care Providers Use Online Patient Ratings to Improve the Quality of Care? Results From an Online-Based Cross-Sectional Study. *J Med Internet Res* 2016; 18: e254. Original Paper 19.09.2016. DOI: 10.2196/jmir.5889.

- 19. Kleefstra SM, Zandbelt LC, Borghans I, et al. Investigating the Potential Contribution of Patient Rating Sites to Hospital Supervision: Exploratory Results From an Interview Study in the Netherlands. *J Med Internet Res* 2016; 18: e201. Original Paper 20.07.2016. DOI: 10.2196/jmir.5552.
- 20. van de Belt TH, Engelen LJLPG, Verhoef LM, et al. Using patient experiences on Dutch social media to supervise health care services: exploratory study. *J Med Internet Res* 2015; 17: e7. Research Support, Non-U.S. Gov't.
- 21. Emmert M, Halling F and Meier F. Evaluations of dentists on a German physician rating Website: an analysis of the ratings. *J Med Internet Res* 2015; 17: e15.
- 22. Lagu T, Goff SL, Hannon NS, et al. A mixed-methods analysis of patient reviews of hospital care in England: implications for public reporting of health care quality data in the United States. *Joint Commission Journal on Quality & Patient Safety* 2013; 39: 7-15.
- 23. Sobin L and Goyal P. Trends of online ratings of otolaryngologists: what do your patients really think of you? *JAMA Otolaryngology-- Head & Neck Surgery* 2014; 140: 635-638.
- 24. Greaves F, Pape UJ, King D, et al. Associations between Web-based patient ratings and objective measures of hospital quality. *Archives of Internal Medicine* 2012; 172: 435-436. Letter Research Support, U.S. Gov't, Non-P.H.S.
- 25. Detz A, Lopez A and Sarkar U. Long-term doctor-patient relationships: patient perspective from online reviews. *J Med Internet Res* 2013; 15: e131. Research Support, U.S. Gov't, P.H.S.
- 26. Brody S and Elhadad N. An unsupervised aspect-sentiment model for online reviews. *Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics*. Los Angeles, California: Association for Computational Linguistics, 2010, p. 804-812.
- 27. Bardach NS, Hibbard JH, Greaves F, et al. Sources of traffic and visitors' preferences regarding online public reports of quality: web analytics and online survey results. *J Med Internet Res* 2015: 17: e102.
- 28. Brookes G and Baker P. What does patient feedback reveal about the NHS? A mixed methods study of comments posted to the NHS Choices online service. *BMJ Open* 2017; 7. DOI: 10.1136/bmjopen-2016-013821.
- 29. Macdonald ME, Beaudin A and Pineda C. What do patients think about dental services in Quebec? Analysis of a dentist rating website. *Journal (Canadian Dental Association)* 2015; 81: f3. Research Support, Non-U.S. Gov't.
- 30. Adams SA. Sourcing the crowd for health services improvement: The reflexive patient and "share-your-experience" websites. *Social Science & Medicine* 2011; 72: 1069-1076.
- 31. Lopez A, Detz A, Ratanawongsa N, et al. What patients say about their doctors online: a qualitative content analysis. *Journal of General Internal Medicine* 2012; 27: 685-692. Research Support, N.I.H., Extramural Research Support, U.S. Gov't, P.H.S.
- 32. Kinast RM, Barker GT, Day SH, et al. Factors related to online patient satisfaction with ophthalmologists. *Ophthalmology* 2014; 121: 1843-1845.e1841.
- 33. Smith RJ and Lipoff JB. Evaluation of Dermatology Practice Online Reviews: Lessons From Qualitative Analysis. *JAMA Dermatology* 2016; 152: 153-157.
- 34. Emmert M, Sander U, Esslinger AS, et al. Public reporting in Germany: the content of physician rating websites. *Methods of Information in Medicine* 2012; 51: 112-120. Evaluation Studies.
- 35. Lewis P, Kobayashi E and Gupta S. An online review of plastic surgeons in southern california. *Annals of Plastic Surgery* 2015; 74 Suppl 1: S66-70.
- 36. Patel S, Cain R, Neailey K, et al. Exploring Patients' Views Toward Giving Web-Based Feedback and Ratings to General Practitioners in England: A Qualitative Descriptive Study. *J Med Internet Res* 2016; 18: e217. Original Paper 05.08.2016. DOI: 10.2196/jmir.5865.
- 37. McLennan S, Strech D and Kahrass H. Why are so few patients rating their physicians on German physician rating websites? A qualitative study. *BMC Health Services Research* 2018; 18: 670. journal article. DOI: 10.1186/s12913-018-3492-0.

- 38. Li S, Feng B, Chen M, et al. Physician review websites: effects of the proportion and position of negative reviews on readers' willingness to choose the doctor. *Journal of Health Communication* 2015; 20: 453-461.
- 39. Kanouse DE, Schlesinger M, Shaller D, et al. How Patient Comments Affect Consumers' Use of Physician Performance Measures. *Medical Care* 2016; 54: 24-31.
- 40. Patel S, Cain R, Neailey K, et al. General Practitioners' Concerns About Online Patient Feedback: Findings From a Descriptive Exploratory Qualitative Study in England. *J Med Internet Res* 2015; 17: e276. Research Support, Non-U.S. Gov't.
- 41. Johnson C. Survey finds physicians very wary of doctor ratings. *Physician Executive* 2013; 39: 6-8.
- 42. Samora JB, Lifchez SD, Blazar PE, et al. Physician-Rating Web Sites: Ethical Implications. *Journal of Hand Surgery American Volume* 2016; 41: 104-110.e101.
- 43. Rothenfluh F, Germeni E and Schulz JP. Consumer Decision-Making Based on Review Websites: Are There Differences Between Choosing a Hotel and Choosing a Physician? *J Med Internet Res* 2016; 18: e129. DOI: 10.2196/jmir.5580.
- 44. Bardach NS, Asteria-Penaloza R, Boscardin WJ, et al. The relationship between commercial website ratings and traditional hospital performance measures in the USA. *BMJ Quality & Safety* 2013; 22: 194-202. Comparative Study Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't.
- 45. Emmert M, Adelhardt T, Sander U, et al. A cross-sectional study assessing the association between online ratings and structural and quality of care measures: results from two German physician rating websites. *BMC Health Services Research* 2015; 15: 414. Research Support, Non-U.S. Gov't.
- 46. Greaves F, Ramirez-Cano D, Millett C, et al. Use of sentiment analysis for capturing patient experience from free-text comments posted online. *Journal of Medical Internet Research* 2013; 15: e239. Research Support, Non-U.S. Gov't.
- 47. Greaves F, Pape UJ, King D, et al. Associations between Internet-based patient ratings and conventional surveys of patient experience in the English NHS: an observational study. *BMJ Quality & Safety* 2012; 21: 600-605. Comparative Study Research Support, Non-U.S. Gov't.
- 48. Ranard BL, Werner RM, Antanavicius T, et al. Yelp Reviews Of Hospital Care Can Supplement And Inform Traditional Surveys Of The Patient Experience Of Care. *Health Affairs* 2016; 35: 697-705.
- 49. Adams S. Post-panoptic surveillance through healthcare rating sites: Who's watching whom? *Information, Communication & Society* 2013; 16: 215-235.
- 50. Greaves F, Laverty A, Ramirez-Cano D, et al. Analysis of patients' comments about hospitals in the English NHS via Twitter, and comparison with patient surveys. *BMJ Quality & Safety* 2014; 23. DOI: 10.1136/bmjqs-2014-002893.5.

Box 1. Summary of findings and evidence gaps identified by stakeholders

Defining online feedback

Online feedback was broadly defined as any insight that can be found online either on structured platforms that exist to collect it (e.g. NHS Choices, CareOpinion, iWantGreatCare) or on other unstructured websites, particularly social media (Twitter, Facebook, blogs), and includes digitised paper-based feedback. It could be solicited or unsolicited. Online feedback was described as useful and important, and something that should be promoted and welcomed.

Online feedback is produced by patients or carers, but little is known about the characteristics of those who post. This information is needed to judge the usefulness of such feedback. Equally, who uses this feedback and to what end is also unclear. They may help service-users to make choices about healthcare and it is believed that they are also used to provide reassurance to service-users about others' experiences and service quality.

Identified evidence gaps:

Who provides and who uses online feedback?

Why is online feedback given and how is it used?

The stakeholders identified these two important questions on who provides online feedback, who uses it and how, and the motivations behind it. Online feedback was perceived to be largely positive and probably useful in identifying what works well in the NHS. Negative feedback was also seen as a force for good as it could help organisations to understand what improvements they should make and what lessons to learn. A central role of feedback is to provide insight to staff (frontline staff, bodies with responsibility for oversight, policymakers) to aid in quality improvement. It is a means to instigate and expedite change or improvements in the NHS, perhaps because of concern over reputation management. It could shift the power differential between staff and service-users. However, who provides online feedback and how it is used by service-users is unclear.

How do organisations currently use feedback?

There is a widely held assumption that service-users comment on issues of convenience and access (car parking, catering). This may be because it is what (they feel) is expected of them and, as such, may inflate the importance of these things. The NHS should make more effort to encourage discussion of whatever is important.

What is the content of online feedback?

The volume of online feedback was perceived to be low and the stakeholders were concerned that this might make it unusable and could skew how issues of user experience are perceived.

How reliable is online patient feedback?

Dealing with feedback is likely to add a burden to already over-stretched services and negative feedback could reduce staff morale, particularly as staff are more identifiable in small organisations. It could undermine professionals' reputations, consequently demotivating hardworking NHS staff. Soliciting feedback from could be an additional burden on those who are ill or caring full-time.

What are health professionals and service user attitudes towards online feedback?

The stakeholders were interested to know what the established evidence on attitudes to online feedback is among professionals and patients. As a group they held mixed attitudes towards it. They raised issues for professionals, such as fears around reputational damage, and wondered if patients trusted online feedback, particularly as they felt it was becoming more commonplace for the public to review products and services online.

Appendix 1: Table of all included studies

| Study by first author | Aim | Method | Country |
|---------------------------|--|---|---|
| Adams 2011 ¹ | To examine comments made on physican review websites from the perspective of reflexivity in modern society. | Qualitative. Discourse analysis. | England, Holland, USA. |
| Adams 2013 ² | To examine websites where patients rate and evaluate healthcare services as mechanisms for transforming citizens into surveillers of public services in order to generate knowledge about the everyday performance of professionals and institutions. | Qualitative. Discourse analysis. | Part of a wider study in England, USA and Holland. This paper focuses on Holland. |
| Bardach 2013 ³ | To compare hospital scores from the most widely used commercial website in the USA to hospital scores from more systematic measures of patient experience (the Hospital Consumer Assessment of Healthcare Providers and Systems; HCAHPS) and outcomes, and to assess what drives variation in the commercial website scores. | Quantitative. | USA |
| Bardach 2015 ⁴ | To investigate if online narrative reviews from patients and surrogates reflect domains in the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) and to describe additional potential domains. | Qualitative. Thematic analysis | USA |
| Bidmon 2014 ⁵ | To analyze factors influencing the adoption of and willingness to pay for mobile physician-rating apps. | Quantitative survey and literature review | Germany |
| Black 2009 ⁶ | To evaluate and describe online healthcare provider reviews. | Quantitative. Multivariate analysis and logistic regression analyses. | USA |

| Study by first author | Aim | Method | Country |
|------------------------------------|--|---|-------------------------|
| Brody 2010 ⁷ | To present a fully automated method to capture what topics health consumers discuss when reviewing their health providers online. | Quantitative. Sentiment analysis using Latent Dirichlet Allocation. | USA |
| Brooks 2017 ⁸ | To examine the key themes in positive and negative patient feedback on NHS (National Health Service) services in England, and to understand the specific issues within these themes and how they drive positive and negative evaluation. | Mixed methods. Machine learning and qualitative analysis | England |
| Brown-Johnson 2014 ⁹ | To describe and characterize public commenting in the context of a high-profile publication on psychiatric inpatient smoking bans and subsequent news coverage on the topic. | Qualitative. Content analysis. | USA and elsewhere eg UK |
| Burkle 2015 ¹⁰ | To explore the frequency with which patients visit and leave comments on rating site, identify most commonly visited sites, evaluate the nature of comments written and quantify the influence that positive comments, negative comments and physician medical malpractice history might have on patients' decisions to seek care from a particular physician. | Quantitative survey. | USA |
| Detz 2013 ¹¹ | To examine publicly available, Internet-based reviews of adult primary care physicians, specifically written by patients who report long-term relationships with their physicians. | Qualitative content analysis. | USA |

| Study by first author | Aim | Method | Country |
|-----------------------------------|---|----------------------------|---------|
| Ellimoottil 2013 ¹² | To describe the landscape of online reviews of urologists by looking at a sample of ratings and written reviews from popular physician review websites. | Mixed methods | USA |
| Emmert & Meier 2013 ¹³ | To analyze all physician evaluations that were posted on the German online feedback website, jameda, in 2012. To provide descriptive analysis of (1) both physician and patient characteristics, and (2) the number, distribution, and results of the ratings. To assess (3) the impact of physician and patient characteristics on the overall performance measure, and (4) the correlation between the number of ratings per patient/physician and the overall performance. | Quantitative. Descriptive. | Germany |
| Emmert 2012 ¹⁴ | To determine and structure the quantity and type of information about physicians in the outpatient sector provided on German-language physician rating websites. | Quantitative. Descriptive. | Germany |
| Emmert 2014 ¹⁵ | To explore the concerns of patients who commented on physician care and to address and enhance patient satisfaction. | Mixed methods. | Germany |
| Emmert 2015 ¹⁶ | To present a comprehensive analysis of the ratings of dentists on a German physician rating website over a 2-year period. | Quantitative, correlation. | Germany |

| Study by first author | Aim | Method | Country |
|----------------------------|--|---|---------|
| Emmert 2013 ¹⁷ | To estimate the current level of awareness and use of physician-rating websites in Germany and to determine their impact on physician choice making and the key predictors which are associated with the knowledge and the use of physician-rating websites. | Quantitative, cross-sectional survey. | Germany |
| Emmert 2016 ¹⁸ | To examine which health care providers use online rating websites and for what purposes, and whether health care providers use online patient ratings to improve patient care. | Quantitative, online-based cross-sectional survey | Germany |
| Frost 2015 ¹⁹ | To (1) evaluate the prevalence of orthopedic surgeon ratings on physician rating websites in the United States and (2) evaluate factors that may affect ratings, such as sex, practice sector (academic or private), years of practice, and geographic location. | Quantitative descriptive study | USA |
| Galizzi 2012 ²⁰ | To explore the extent to which doctor rating websites are known and used among a sample of respondents from London. To understand the main predictors of what makes people willing to use doctor rating websites. | Quantitative cross-sectional study | England |
| Gao 2012 ²¹ | To describe trends in patients' online ratings over time, across specialties, to identify what physician characteristics influence online ratings, and to examine how the value of ratings reflects physician quality. | Quantitative descriptive study. | USA |

| Study by first author | Aim | Method | Country |
|--|--|---|---------|
| Gao 2015 ²² | To provide one of the first analyses of how online ratings reflect physician quality as perceived by a broader population of patients. | Quantitative correlation | USA |
| Gilbert 2015 ²³ | To assess radiologist representation on rating sites. | Quantitative descriptive study. | USA |
| Glover 2015 ²⁴ | To examine the extent to which hospitals utilize social media and whether user-generated metrics on Facebook® correlate with a Hospital Compare® metric, specifically 30-day all cause unplanned hospital readmission rates. | Quantitative. Retrospective cross-sectional study. | USA |
| Grabner-Krauter 2015 ²⁵ | To explore how certain characteristics of physician reviews affect the evaluation of the review and users' attitudes toward the rated physician. | Quantitative survey. | Austria |
| Gray 2015 ²⁶ | To measure the association between US physician website ratings and traditional quality measures of clinical and patient experience. | Quantitative. Regression analyses. | USA |
| Greaves, Laverty 2014 ²⁷ | To describe the frequency of tweets sent to hospitals in the English National Health Service and to examine whether they contain information about quality of care. To compare sentiment on Twitter about hospitals with established survey measures of patient experience and standardised mortality rates. | Mixed methods. Qualitative content analysis and sentiment analysis. | England |

| Study by first author | Aim | Method | Country |
|--|---|--|---------|
| Greaves, Pape, King 2012 ²⁸ | To describe patterns observed and analyse associations with unsolicited ratings posted on NHS Choices for all acute hospitals in England and conventional measures of patient satisfaction obtained through formal surveys. To compare the strength of associations between NHS Choices ratings and clinical outcomes and associations between patient survey measures of experience and clinical outcomes. | Quantitative. Cross-sectional observational study. | England |
| Greaves, Pape, King 2012 ²⁹ | To examine hospital-level associations between web- based patient ratings on the NHS Choices Website and objective measures of quality. | Quantitative. Cross-sectional observational study. | England |
| Greaves, Pape, Lee 2012 ³⁰ | To examine the usage of NHS Choices and associations between web-based patient ratings and conventional measures of patient experience and clinical quality in primary care. | Quantitative. Cross-sectional observational study. | England |
| Greaves, Ramirez- Cano 2013 ³¹ | To use machine learning to understand patients' unstructured comments about their care. | Quantitative. Sentiment analysis. | England |
| Hanauer 2014 ³² | To understand, within the context of other types of rating sites, parents' awareness, perceptions, and use of physician-rating sites for choosing primary care physicians for their children. | Quantitative. Cross-sectional, nationally representative survey. | USA |
| Hanauer 2014 ³³ | To survey a nationally representative sample of the US population about their knowledge and use of online ratings for selecting a physician for themselves. | Quantitative, experimental 5x2 factorial design. | USA |

| Study by first author | Aim | Method | Country |
|----------------------------|--|---|-----------------|
| Hao 2015 ³⁴ | To examine and describe online doctor reviewing in China. | Quantitative. Descriptive statistical study. | China |
| Hao 2016 ³⁵ | To automatically extract hidden topics from Web- based physician reviews using text-mining techniques to examine what Chinese patients have said about their doctors and whether these topics differ across various specialties. | Quantitative. Descriptive statistics and Latent Dirichlet Allocation. | China |
| Hawkins 2015 ³⁶ | To assess the use of Twitter as a supplemental data stream for measuring patient perceived quality of care in US hospitals and compare patient sentiments about hospitals with established quality measures. To provide a current characterisation of US hospitals on Twitter, explore the unsolicited patient experience topics discussed by patients, and determine if Twitter data are associated with quality of care, as compared with other established metrics. | Quantitative. Machine learning approach/ sentiment analysis. | USA |
| Hopper 2015 ³⁷ | To test the usefulness of sentiment analysis and time-to-next-complaint methods in quantifying text-based information located on the internet. | Quantitative. Sentiment analysis. | USA |
| Jans 2015 ³⁸ | To find out how many patient ratings are necessary to outweigh an expert opinion's impact on the decision making process. | Quantitative. Experiment. | The Netherlands |
| Johnson 2013 ³⁹ | To survey physician leaders' about their perceptions of rating systems, measuring performance and the quality of individual doctors. | Quantitative. Survey. | USA |

| Study by first author | Aim | Method | Country |
|------------------------------|---|---|-----------------|
| Kadry 2011 ⁴⁰ | To (1) determine the most frequently visited physician-rating websites with user-generated content, (2) evaluate the available information on these websites, and (3) analyze 4999 individual online ratings of physicians. | Quantitative, descriptive evaluation. | USA |
| Kanouse 2016 ⁴¹ | To examine the effects of providing patient comments along with standardized performance information in a web-based public report. | Quantitative. Experimental design. | USA |
| Kilaru 2015 ⁴² | To characterise the content of online reviews and explore their perspectives on US emergency department (ED) care. | Qualitative. Modified grounded theory. | USA |
| Kinast 2014 ⁴³ | To identify the reasons why patients write positive and negative online reviews of ophthalmologists. | Quantitative. Logistic regression. | USA |
| Kleefstra 2016 ⁴⁴ | To explore whether and how patient reviews of hospitals, as reported on rating sites, have the potential to contribute to health care inspector's daily supervision of hospital care. | Qualitative. Semistructured interviews; inductively analysed. | The Netherlands |
| Lagu 2010 ⁴⁵ | To describe the structure and content of physician- rating websites and to assess the extent to which a patient might find them valuable. | Quantitative descriptive study. | USA |
| Lagu 2013 ⁴⁶ | To better understand the content of narrative feedback and determine how it might complement other forms of publicly reported quality data, like patient experience data collected by the HCAHPS | Mixed methods | England and USA |
| Lagu 2016 ⁴⁷ | To determine if it is feasible to use social media platforms for learning about and improving hospital quality. | Mixed methods. | USA |

| Study by first author | Aim | Method | Country |
|---------------------------------|---|---|--|
| Lewis 2015 ⁴⁸ | To characterize the online presence of plastic surgeons in Southern California as portrayed by physician rating websites. | Quantitative descriptive study. | USA |
| Li 2015 ⁴⁹ | To examine how the proportion and position of negative reviews on such websites influences readers' willingness to choose the reviewed physician. | Quantitative. Experimental 5x2 factorial design. Questionnaire. | USA |
| Lopez 2012 ⁵⁰ | To explore the content of Internet reviews about primary care physicians. | Qualitative. Content analysis. | USA |
| MacDonald 2015 ⁵¹ | To determine how the public views dental care in Quebec. | Mixed methods. | Canada |
| McCaughey 2014 ⁵² | To examine the relationship of social media channel utilization by health care organizations and the brand rating of those organizations, as measured by patients who have completed the HCAHPS survey. | Quantitative descriptive study. | USA |
| Merrell 2013 ⁵³ | To help physicians and allied health professionals explore the vast array of feedback websites to identify promising websites, and to enhance their practices. | Quantitative. Descriptive study | USA |
| Nakhasi 2016 ⁵⁴ | To explore whether Twitter is a relevant data source to learn about patient safety and capture the patient's voice. | Qualitative content analysis | USA (Tweets most likely to be from USA.) |
| Patel 2015 ⁵⁵ | To explore and describe general practitioners' attitudes toward online patient feedback, specifically their concerns. | Qualitative, descriptive. | England |

| Study by first author | Aim | Method | Country |
|--|--|---|-----------------|
| Patel 2016 ⁵⁶ | To explore patients' views toward giving Web-based feedback and ratings to general practitioners (GPs), within the context of other feedback methods available in primary care in England, and in particular, paper-based feedback cards. | Qualitative. Thematic analysis. | England |
| Paul 2013 ⁵⁷ | To propose a joint probabilistic model that captures both the sentiment and aspects latent in the free text of online provider reviews. To elucidate the factors that most affect consumer sentiment regarding interactions with their doctor. | Quantitative. Sentiment analysis. | USA |
| Ranard 2016 ⁵⁸ | To compare the content of all Yelp narrative reviews of hospitals to domains of the HCAHPS survey. To identify which Yelp topics best correlated with positive or negative Yelp review ratings and to correlate Yelp ratings with the HCAHPS survey overall ratings. | Quantitative. Latent Dirichlet Allocation | USA |
| Rastegar-Mojarad 2015 ⁵⁹ | To create a corpus of patient experience (COPE) and report descriptive statistics to characterize COPE. | Quantitative. Natural Language Processing. | USA |
| Reimann 2010 ⁶⁰ | To examine the extent to which PRSs currently represent the constructs of patient experience and satisfaction as measured by research instruments. | Mixed methods. | Germany and USA |
| Riemer 2016 ⁶¹ | To investigate patterns of ratings of dermatologists on commonly used feedback websites to better understand the information available to patients online. | Quantitative. Exploratory study. | USA |

| Study by first author | Aim | Method | Country |
|-------------------------------|--|----------------------------------|-------------|
| Rothenfluh 2016 ⁶² | To explore the extent to which consumer decision-making based on Web-based reviews is the same for consumer services (ie, choice of a hotel) and health services (ie, choice of a pediatrician), while providing an in-depth understanding of potential differences or similarities. | Qualitative. Thematic analysis. | Switzerland |
| Samora 2016 ⁶³ | To understand the ethical and professional implications of physician behavior changes secondary to online physician-rating Web sites. | Quantitative. Survey. | USA |
| Segal 2012 ⁶⁴ | To determine if surgeon volume, as a proxy for clinical outcomes and patient safety, correlates with online reputation. | Quantitative. Descriptive study. | USA |
| Shepherd 2015 ⁶⁵ | To ascertain how social media users with experience of mental disorder relate to each other and the social space during internet based interactions and to uncover the potential role of resources such as Twitter for the provision of feedback on and engagement with mental health service user experience. | Qualitative. Content analysis | UK |
| Smith 2016 ⁶⁶ | To identify qualitative themes associated with patient reviews of dermatologic care on consumer reporting websites. | Mixed methods. | USA |
| Sobin 2014 ⁶⁷ | To evaluate patterns in online ratings of otolaryngologists. | Quantitative | USA |
| Speed 2016 ⁶⁸ | To examine the ways in which anonymity and its attendant risks and dangers are conceptualised on different sides of the NHS/community relationship. | Qualitative thematic analysis | UK |

| Study by first author | Aim | Method | Country |
|--------------------------------|--|----------------------------------|-----------------|
| Sundstrom 2016 ⁶⁹ | To examine the role of health as a connective narrative among individuals organizing collectively in an online community. The "We are the 99 percent" Tumblr blog emerged as a spontaneous community platform of the Occupy Wall Street movement in the US. | Qualitative content analysis. | USA |
| Terlutter 2014 ⁷⁰ | To analyse patients' knowledge and use of online feedback websitet; describe users and nonusers in terms of sociodemographic variables, psychographic variables, and health status; and assert whether these variables can also serve as predictors of usage and nonusage. | Quantitative. Survey. | Germany |
| Thackeray 2013 ⁷¹ | To establish the frequency of various forms (eg, spectators, creators, or critics) of online health-seeking behaviors. | Quantitative. Telephone survey. | USA |
| Timian 2013 ⁷² | To ascertain if Facebook "Likes" are associated with hospital quality and patient satisfaction. | Quantitative. Exploratory. | USA |
| Trehan 2016 ⁷³ | To evaluate factors associated with positive online patient ratings and written comments regarding hand surgeons. | Quantitative. Exploratory study. | USA |
| van de Belt 2015 ⁷⁴ | To identify the added value of social media for two types of supervision by the Dutch Healthcare Inspectorate (DHI), the regulatory body charged with supervising the quality and safety of health care services in the Netherlands. | Mixed methods. Exploratory study | The Netherlands |

| Study by first author | Aim | Method | Country |
|-------------------------------------|--|---|---------|
| Wallace 2014 ⁷⁵ | To demonstrate how the proposed state-of-the-art probabilistic model, that jointly captures latent aspects and sentiment, can leverage a small amount of data annotated by experts to guide topic/sentiment discovery. | Quantitative. Probabilistic model based on factorial Latent Dirichlet Allocation. | USA |
| van Velthoven 2018 ⁷⁶ | To identify the self-reported behaviour of the public in reading and writing online feedback in relation to health services. | Quantitative. Face-to-face cross sectional survey | UK |
| Yaraghi 2018 ⁷⁷ | To measure the relative importance of Web-based quality ratings from governmental and commercial agencies on individuals' choice of primary care physicians | Choice-based experiment | USA |
| Zhang 2018 ⁷⁸ | To analyse negative online reviews about physicians; to identify potential ways to improve patient satisfaction and patient-doctor relationships | Content analysis | China |

References

- 1. Adams SA. Sourcing the crowd for health services improvement: The reflexive patient and "share-your-experience" websites. *Social Science & Medicine* 2011; 72: 1069-1076.
- 2. Adams S. Post-panoptic surveillance through healthcare rating sites: Who's watching whom? *Information, Communication & Society* 2013; 16: 215-235.
- 3. Bardach NS, Asteria-Penaloza R, Boscardin WJ, et al. The relationship between commercial website ratings and traditional hospital performance measures in the USA. *BMJ Quality & Safety* 2013; 22: 194-202. Comparative Study Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't.
- 4. Bardach NS, Hibbard JH, Greaves F, et al. Sources of traffic and visitors' preferences regarding online public reports of quality: web analytics and online survey results. *J Med Internet Res* 2015; 17: e102.
- 5. Bidmon S, Terlutter R and Rottl J. What explains usage of mobile physician-rating apps? Results from a web-based questionnaire. *Journal of Medical Internet Research* 2014; 16: e148.
- 6. Black EW, Thompson LA, Saliba H, et al. An analysis of healthcare providers' online ratings. *Informatics in Primary Care* 2009; 17: 249-253.
- 7. Brody S and Elhadad N. An unsupervised aspect-sentiment model for online reviews. *Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics*. Los Angeles, California: Association for Computational Linguistics, 2010, p. 804-812.
- 8. Brookes G and Baker P. What does patient feedback reveal about the NHS? A mixed methods study of comments posted to the NHS Choices online service. *BMJ Open* 2017; 7. DOI: 10.1136/bmjopen-2016-013821.
- 9. Brown-Johnson CG, Sanders-Jackson A and Prochaska JJ. Online comments on smoking bans in psychiatric hospitals units. *Journal of Dual Diagnosis* 2014; 10: 204-211. Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't.
- 10. Burkle CM and Keegan MT. Popularity of internet physician rating sites and their apparent influence on patients' choices of physicians. *BMC Health Services Research* 2015; 15: 416. Research Support, Non-U.S. Gov't.
- 11. Detz A, Lopez A and Sarkar U. Long-term doctor-patient relationships: patient perspective from online reviews. *J Med Internet Res* 2013; 15: e131. Research Support, U.S. Gov't, P.H.S.
- 12. Ellimoottil C, Hart A, Greco K, et al. Online reviews of 500 urologists. *Journal of Urology* 2013; 189: 2269-2273.
- 13. Emmert M and Meier F. An analysis of online evaluations on a physician rating website: evidence from a German public reporting instrument. *J Med Internet Res* 2013; 15: e157.
- 14. Emmert M, Sander U, Esslinger AS, et al. Public reporting in Germany: the content of physician rating websites. *Methods of Information in Medicine* 2012; 51: 112-120. Evaluation Studies.
- 15. Emmert M, Meier F, Heider A-K, et al. What do patients say about their physicians? an analysis of 3000 narrative comments posted on a German physician rating website. *Health Policy* 2014; 118: 66-73.
- 16. Emmert M, Halling F and Meier F. Evaluations of dentists on a German physician rating Website: an analysis of the ratings. *J Med Internet Res* 2015; 17: e15.
- 17. Emmert M, Meier F, Pisch F, et al. Physician choice making and characteristics associated with using physician-rating websites: cross-sectional study. *J Med Internet Res* 2013; 15: e187. Research Support, Non-U.S. Gov't.
- 18. Emmert M, Meszmer N and Sander U. Do Health Care Providers Use Online Patient Ratings to Improve the Quality of Care? Results From an Online-Based Cross-Sectional Study. *J Med Internet Res* 2016; 18: e254. Original Paper 19.09.2016. DOI: 10.2196/jmir.5889.
- 19. Frost C and Mesfin A. Online reviews of orthopedic surgeons: an emerging trend. *Orthopedics* 2015; 38: e257-262.

- 20. Galizzi MM, Miraldo M, Stavropoulou C, et al. Who is more likely to use doctor-rating websites, and why? A cross-sectional study in London. *BMJ Open* 2012; 2.
- 21. Gao GG, McCullough JS, Agarwal R, et al. A changing landscape of physician quality reporting: analysis of patients' online ratings of their physicians over a 5-year period. *Journal of Medical Internet Research* 2012; 14: e38.
- 22. Gao GD, Greenwood BN, Agarwal R, et al. VOCAL MINORITY AND SILENT MAJORITY: HOW DO ONLINE RATINGS REFLECT POPULATION PERCEPTIONS OF QUALITY. *Mis Quarterly* 2015; 39: 565++.
- 23. Gilbert K, Hawkins CM, Hughes DR, et al. Physician rating websites: do radiologists have an online presence? *Journal of the American College of Radiology* 2015; 12: 867-871.
- 24. Glover M, Khalilzadeh O, Choy G, et al. Hospital Evaluations by Social Media: A Comparative Analysis of Facebook Ratings among Performance Outliers. *Journal of General Internal Medicine* 2015; 30: 1440-1446.
- 25. Grabner-Krauter S and Waiguny MK. Insights into the impact of online physician reviews on patients' decision making: randomized experiment. *J Med Internet Res* 2015; 17: e93.
- 26. Gray BM, Vandergrift JL, Gao GG, et al. Website ratings of physicians and their quality of care. *JAMA Internal Medicine* 2015; 175: 291-293. Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, Non-P.H.S.
- 27. Greaves F, Laverty A, Ramirez-Cano D, et al. Analysis of patients' comments about hospitals in the English NHS via Twitter, and comparison with patient surveys. *BMJ Quality & Safety* 2014; 23. DOI: 10.1136/bmjqs-2014-002893.5.
- 28. Greaves F, Pape UJ, King D, et al. Associations between Web-based patient ratings and objective measures of hospital quality. *Archives of Internal Medicine* 2012; 172: 435-436. Letter Research Support, U.S. Gov't, Non-P.H.S.
- 29. Greaves F, Pape UJ, King D, et al. Associations between Internet-based patient ratings and conventional surveys of patient experience in the English NHS: an observational study. *BMJ Quality & Safety* 2012; 21: 600-605. Comparative Study Research Support, Non-U.S. Gov't.
- 30. Greaves F, Pape UJ, Lee H, et al. Patients' ratings of family physician practices on the internet: usage and associations with conventional measures of quality in the English National Health Service. *Journal of Medical Internet Research* 2012; 14: e146. Research Support, Non-U.S. Gov't.
- 31. Greaves F, Ramirez-Cano D, Millett C, et al. Use of sentiment analysis for capturing patient experience from free-text comments posted online. *Journal of Medical Internet Research* 2013; 15: e239. Research Support, Non-U.S. Gov't.
- 32. Hanauer DA, Zheng K, Singer DC, et al. Parental awareness and use of online physician rating sites. *Pediatrics* 2014; 134: e966-975. Randomized Controlled Trial Research Support, Non-U.S. Gov't.
- 33. Hanauer DA, Zheng K, Singer DC, et al. Public awareness, perception, and use of online physician rating sites. *JAMA* 2014; 311: 734-735. Research Support, Non-U.S. Gov't.
- 34. Hao H. The development of online doctor reviews in China: an analysis of the largest online doctor review website in China. *Journal of Medical Internet Research* 2015; 17: e134.
- 35. Hao H and Zhang K. The Voice of Chinese Health Consumers: A Text Mining Approach to Web-Based Physician Reviews. *J Med Internet Res* 2016; 18: e108. Original Paper 10.05.2016. DOI: 10.2196/jmir.4430.
- 36. Hawkins JB, Brownstein JS, Tuli G, et al. Measuring patient-perceived quality of care in US hospitals using Twitter. *BMJ Quality & amp; Safety* 2015. DOI: 10.1136/bmjqs-2015-004309.
- 37. Hopper AM and Uriyo M. Using sentiment analysis to review patient satisfaction data located on the internet. *Journal of Health Organization & Management* 2015; 29: 221-233.
- 38. Jans LCH and Kranzbuhler A-M. The influence of rating volume in the effects of expert versus patient online ratings. *Acta Orthopaedica Belgica* 2015; 81: 662-667.

- 39. Johnson C. Survey finds physicians very wary of doctor ratings. *Physician Executive* 2013; 39: 6-8.
- 40. Kadry B, Chu LF, Kadry B, et al. Analysis of 4999 online physician ratings indicates that most patients give physicians a favorable rating. *Journal of Medical Internet Research* 2011; 13: e95.
- 41. Kanouse DE, Schlesinger M, Shaller D, et al. How Patient Comments Affect Consumers' Use of Physician Performance Measures. *Medical Care* 2016; 54: 24-31.
- 42. Kilaru AS, Meisel ZF, Paciotti B, et al. What do patients say about emergency departments in online reviews? A qualitative study. *BMJ Quality & Safety* 2016; 25: 14-24.
- 43. Kinast RM, Barker GT, Day SH, et al. Factors related to online patient satisfaction with ophthalmologists. *Ophthalmology* 2014; 121: 1843-1845.e1841.
- 44. Kleefstra SM, Zandbelt LC, Borghans I, et al. Investigating the Potential Contribution of Patient Rating Sites to Hospital Supervision: Exploratory Results From an Interview Study in the Netherlands. *J Med Internet Res* 2016; 18: e201. Original Paper 20.07.2016. DOI: 10.2196/jmir.5552.
- 45. Lagu T, Hannon NS, Rothberg MB, et al. Patients' evaluations of health care providers in the era of social networking: an analysis of physician-rating websites. *Journal of General Internal Medicine* 2010; 25: 942-946.
- 46. Lagu T, Goff SL, Hannon NS, et al. A mixed-methods analysis of patient reviews of hospital care in England: implications for public reporting of health care quality data in the United States. *Joint Commission Journal on Quality & Patient Safety* 2013; 39: 7-15.
- 47. Lagu T, Goff SL, Craft B, et al. Can social media be used as a hospital quality improvement tool? *Journal of Hospital Medicine* 2016; 11: 52-55.
- 48. Lewis P, Kobayashi E and Gupta S. An online review of plastic surgeons in southern california. *Annals of Plastic Surgery* 2015; 74 Suppl 1: S66-70.
- 49. Li S, Feng B, Chen M, et al. Physician review websites: effects of the proportion and position of negative reviews on readers' willingness to choose the doctor. *Journal of Health Communication* 2015; 20: 453-461.
- 50. Lopez A, Detz A, Ratanawongsa N, et al. What patients say about their doctors online: a qualitative content analysis. *Journal of General Internal Medicine* 2012; 27: 685-692. Research Support, N.I.H., Extramural Research Support, U.S. Gov't, P.H.S.
- 51. Macdonald ME, Beaudin A and Pineda C. What do patients think about dental services in Quebec? Analysis of a dentist rating website. *Journal (Canadian Dental Association)* 2015; 81: f3. Research Support, Non-U.S. Gov't.
- 52. McCaughey D, Baumgardner C, Gaudes A, et al. Best Practices in Social Media: Utilizing a Value Matrix to Assess Social Media's Impact on Health Care. *Social Science Computer Review* 2014; 32: 575-589. DOI: 10.1177/0894439314525332.
- 53. Merrell JG, Levy BH, 3rd and Johnson DA. Patient assessments and online ratings of quality care: a "wake-up call" for providers. *American Journal of Gastroenterology* 2013; 108: 1676-1685.
- Nakhasi A, Shen AX, Passarella RJ, et al. Online social networks that connect users to physical activity partners: a review and descriptive analysis. *Journal of Medical Internet Research* 2014; 16: e153.
- 55. Patel S, Cain R, Neailey K, et al. General Practitioners' Concerns About Online Patient Feedback: Findings From a Descriptive Exploratory Qualitative Study in England. *J Med Internet Res* 2015; 17: e276. Research Support, Non-U.S. Gov't.
- 56. Patel S, Cain R, Neailey K, et al. Exploring Patients' Views Toward Giving Web-Based Feedback and Ratings to General Practitioners in England: A Qualitative Descriptive Study. *J Med Internet Res* 2016; 18: e217. Original Paper 05.08.2016. DOI: 10.2196/jmir.5865.
- 57. Paul MJ WB, Dredze M. What affects patient (dis)satisfaction? Analysing online doctor ratings with a joint topic-sentiment model. *Papers from the AAAI 2013 Workshop* 2013: 53-58.
- 58. Ranard BL, Werner RM, Antanavicius T, et al. Yelp Reviews Of Hospital Care Can Supplement And Inform Traditional Surveys Of The Patient Experience Of Care. *Health Affairs* 2016; 35: 697-705.

- 59. Rastegar-Mojarad M, Ye Z, Wall D, et al. Collecting and Analyzing Patient Experiences of Health Care From Social Media. *JMIR Research Protocols* 2015; 4: e78.
- 60. Reimann S and Strech D. The representation of patient experience and satisfaction in physician rating sites. A criteria-based analysis of English- and German-language sites. *BMC Health Services Research* 2010; 10: 332.
- 61. Riemer C, Doctor M and Dellavalle RP. Analysis of online ratings of dermatologists. *JAMA Dermatology* 2016; 152: 218-220.
- 62. Rothenfluh F, Germeni E and Schulz JP. Consumer Decision-Making Based on Review Websites: Are There Differences Between Choosing a Hotel and Choosing a Physician? *J Med Internet Res* 2016; 18: e129. DOI: 10.2196/jmir.5580.
- 63. Samora JB, Lifchez SD, Blazar PE, et al. Physician-Rating Web Sites: Ethical Implications. *Journal of Hand Surgery American Volume* 2016; 41: 104-110.e101.
- 64. Segal J, Sacopulos M, Sheets V, et al. Online doctor reviews: do they track surgeon volume, a proxy for quality of care? *Journal of Medical Internet Research* 2012; 14: e50. Research Support, Non-U.S. Gov't.
- 65. Shepherd A, Sanders C, Doyle M, et al. Using social media for support and feedback by mental health service users: thematic analysis of a twitter conversation. *BMC Psychiatry* 2015; 15: 29.
- 66. Smith RJ and Lipoff JB. Evaluation of Dermatology Practice Online Reviews: Lessons From Qualitative Analysis. *JAMA Dermatology* 2016; 152: 153-157.
- 67. Sobin L and Goyal P. Trends of online ratings of otolaryngologists: what do your patients really think of you? *JAMA Otolaryngology-- Head & Neck Surgery* 2014; 140: 635-638.
- 68. Speed E, Davison C and Gunnell C. The anonymity paradox in patient engagement: reputation, risk and web-based public feedback. *Medical Humanities* 2016; 42: 135-140. DOI: 10.1136/medhum-2015-010823.
- 69. Sundstrom B MS, Anderson M, et al. Voices of the "99 percent": the role of online narrative to improve health care. . *Permanente Journal* 2016; 20: 49-55.
- 70. Terlutter R, Bidmon S and Rottl J. Who uses physician-rating websites? Differences in sociodemographic variables, psychographic variables, and health status of users and nonusers of physician-rating websites. *J Med Internet Res* 2014; 16: e97.
- 71. Thackeray R, Crookston BT and West JH. Correlates of health-related social media use among adults. *J Med Internet Res* 2013; 15: e21.
- 72. Timian A, Rupcic S, Kachnowski S, et al. Do patients "like" good care? measuring hospital quality via Facebook. *American Journal of Medical Quality* 2013; 28: 374-382.
- 73. Trehan SK, DeFrancesco CJ, Nguyen JT, et al. Online Patient Ratings of Hand Surgeons. Journal of Hand Surgery - American Volume 2016; 41: 98-103.
- 74. van de Belt TH, Engelen LJLPG, Verhoef LM, et al. Using patient experiences on Dutch social media to supervise health care services: exploratory study. *J Med Internet Res* 2015; 17: e7. Research Support, Non-U.S. Gov't.
- 75. Wallace BC, Paul MJ, Sarkar U, et al. A large-scale quantitative analysis of latent factors and sentiment in online doctor reviews. *Journal of the American Medical Informatics Association* 2014; 21: 1098-1103.
- 76. van Velthoven MH, Atherton H and Powell J. A cross sectional survey of the UK public to understand use of online ratings and reviews of health services. *Patient Education and Counseling* 2018; 101: 1690-1696. DOI: https://doi.org/10.1016/j.pec.2018.04.001.
- 77. Yaraghi N, Wang W, Gao G, et al. How Online Quality Ratings Influence Patients' Choice of Medical Providers: Controlled Experimental Survey Study. *J Med Internet Res* 2018; 20: e99. Original Paper 26.03.2018. DOI: 10.2196/jmir.8986.
- 78. Zhang W, Deng Z, Hong Z, et al. Unhappy Patients Are Not Alike: Content Analysis of the Negative Comments from China's Good Doctor Website. *J Med Internet Res* 2018; 20: e35. Original Paper 25.01.2018. DOI: 10.2196/jmir.8223.